

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

DATE : 2/12/08

Paper No.:     

TO SPE OF : ART UNIT 1625

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/828970 Patent No.: 7022733 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code **COCX**.

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**  
**South Tower - 9A22**  
**Palm Location 7580**

**VIRGINIA TOLBERT**  
**Certificates of Correction Branch**  
**703-308-9390 ext. 113**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

**All changes apply.**

☐ **Approved in Part**

**Specify below which changes do not apply.**

☐ **Denied**

**State the reasons for denial below.**

**Comments:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

  
**SPE**

1625  
**Art Unit**